




## DESCRIPTION

- Light protective goggles, single lens, with molded and integrated side protection, which can be used individually or over prescription glasses
- CE marking - EN166:2001
- Ideal for the Engineering, Construction, Industry, Carpentry and Laboratories sectors
- Clean with warm water, soap and a soft cloth or non-abrasive disinfectant solution
- Store in a clean, dry and dust-free place, preferably in a suitable purpose box
- Designed and produced in Portugal




SINGLE COLOR  
011.00167

## DIMENSIONS

## TECHNICAL FEATURES

Material	Polycarbonate
Length	156mm
Width	155mm
Distance Between Frames	155,5mm
Weight	40g
CE Conformity	EN166:2001




## LOGISTIC DATA

Box	400x400x170mm
Quantity	50un
Packaging	Individual Plastic Bag



## DESCRIPTION

- Developed to avoid contact with different surfaces (doors, ATMs, switches, taps, doorbells, among others) avoiding viruses, bacteria, germs and others transmission and spread
- Produced in Recycled PP
- Easy to transport and store
- Stable and robust for long life durability
- Washable and easy to decontaminate
- Ideal to use day to day use



## AVAILABLE COLORS




## EXTRA OPTIONS

- Other colors per customer specification

## TECHNICAL FEATURES


Material	Recycled Polypropylene
Length	110mm
Width	45mm
Height	6mm
Weight	10g


## DIMENSIONS



## LOGISTIC DATA

Box	400x300x240mm
Quantity	300un
Packaging	Plastic Bag with 3un





## DESCRIPTION

- For use in surgical or fabric masks
- Protects the ears from pressure from the mask's elastics
- Produced in Recycled PP
- Prevents irritation, tension or pain from continuous and prolonged mask use
- 5 adjustment positions that allow you to adjust the mask's elastic
- Washable and easy to decontaminate
- Easy to transport and store



## AVAILABLE COLORS



## TECHNICAL FEATURES

Material	Recycled Polypropylene
Length	143mm
Width	30mm
Height	2mm
Weight	5g



## LOGISTIC DATA

Box	400x300x240mm
Quantity	300un
Packaging	Plastic Bag with 3un ou 10un

## EXTRA OPTIONS

- Other colors per customer specification


## DIMENSIONS





### DESCRIPTION

- Suitable for storing surgical or fabric mask, mask-holder, anti-contact key and other accessories
- Keeps the mask clean and safe
- Produced in PP or HDPE
- Easy to transport and store
- Washable and easy to decontaminate



### AVAILABLE COLORS




### EXTRA OPTIONS

- Other colors per customer specification
- Logo customization under request over 1000 units (80x60mm)

### TECHNICAL FEATURES

Material	PP or HDPE
Length	120mm
Width	100mm
Height	17mm
Weight	30g

### DIMENSIONS



### LOGISTIC DATA

Box	400x400x400mm
Quantity	400un
Packaging	Individual Plastic Bag





## LID STANDARD COLORS



## BODY STANDARD COLORS



## DESCRIPTION

- **EN840 Certification**
- Body and cover in high strength HDPE
- Resistant to UV, cold, heat, and chemicals
- Lid opens 270 degrees and is fixed by robust shaft
- Smooth surfaces for easy cleaning
- Integral handle with textured surface to increase the comfort and the easiness of transport
- Wheels in wood and plastic composite with robust rubber tires and galvanized steel shaft, for silent displacement
- Wheels Ø 200mm
- Completely recyclable at life end

## EXTRA OPTIONS

- Foot Pedal
- Hot Stamping
- IML




## TECHNICAL FEATURES

Capacity	120 l
Length	550mm
Width	470mm
Width Between Axis	500mm
Height	900mm
Height Without Lid	860mm
Ø Wheels	200mm
Weight	6,8kg
Load	60kg

## LOGISTIC DATA

Pallet	1200x1000mm
20' DC	360
40' DC	756
40' HC	924
90 cbm Truck	1144











































## PRODUCT REFERENCES

### LID STANDARD COLORS



### BODY STANDARD COLORS



Body	Lid	Product Reference Without Foot Pedal	Product Reference With Foot Pedal
		011.00601	011.00605
		011.00629	011.00634
		011.00630	011.00635
		011.00631	011.00636
		011.00632	011.00637
		011.00633	011.00638
		011.00618	011.00624
		011.00615	011.00623
		011.00617	011.00622
		011.00620	011.00645
		011.00619	011.00644
		011.00603	011.00607
		011.00625	011.00639
		011.00627	011.00640
		011.00616	011.00641
		011.00628	011.00642
		011.00602	011.00643
		011.00626	011.00606
		011.00612	011.00611
		011.00609	011.00610



## LID AND BODY AVAILABLE COLORS



## TECHNICAL FEATURES

Capacity	240l
Length	600 mm
Base Length	400 mm
Width	750 mm
Width Between Wheels	400 mm
Height	1070 mm
Height Without Lid	1000 mm
Ø Wheels	200 mm
Weight	13 kg
Load	96 kg

## LOGISTIC DATA

20' DC	280
40' DC	576
40' HC	670
90 cbm Truck	800


## DESCRIPTION

- Manufactured from HDPE using the injection moulding method and 100% virgin raw material
- Compatible with EN 840-1-5-6
- Smooth surface for easy cleaning
- Resistant to UV, cold, heat, and chemicals
- Lid opener 270 degree and fixed through two metal pins
- Print area on body and lid
- Ø 200 mm wheels, 2 with breaks
- Smooth-running wheels with breaks
- Designed to accommodate data carriers
- Compatible with standard lifting equipment


## EXTRA OPTIONS

- Foot pedal
- Hot Stamping
- Screen Printing
- Lid in Lid
- Lock System

## LOGO APPLICATION AREAS




**A:** 250x250 mm



**B1:** 115x45 mm  
**B2:** Ø 150 mm









## DIMENSIONS



## PRODUCT REFERENCES

### LID AND BODY AVAILABLE COLORS



Lid and Body Standard Colors	Product Reference Without Foot Pedal	Product Reference With Foot Pedal
	011.00123	011.00115
	011.00124	011.00116
	011.00125	011.00117
	011.00126	011.00118
	011.00127	011.00119
	011.00128	011.00120
	011.00129	011.00121
	011.00130	011.00122





## DESCRIPTION

- Manufactured from HDPE using the injection moulding method and 100% virgin raw material
- Compatible with EN 840-2-5-6
- Smooth surface for easy cleaning
- Resistant to UV, cold, heat, and chemicals
- Lid opener 270 degree and fixed through two metal pins
- Print area on body and lid
- Ø 200 mm wheels, 2 with breaks
- Smooth-running wheels with breaks
- Designed to accommodate data carriers
- Compatible with standard lifting equipment

## EXTRA OPTIONS

- Foot pedal
- Hot Stamping
- Screen Printing
- Lid in Lid
- Liquid Evacuation System

## LID AND BODY AVAILABLE COLORS




## TECHNICAL FEATURES

Capacity	660l
Length	1380 mm
Lid Length	1223 mm
Base Length	1145 mm
Width	780 mm
Width Between Axis	490mm
Width Between Wheels	625 mm
Height	1150 mm
Height Without Lid	1050 mm
Ø Wheels	200 mm
Weight	39 kg
Load	270 kg


## LOGISTIC DATA

20' DC	65
40' DC	135
40' HC	145
90 cbm Truck	180

## LOGO APPLICATION AREAS





A: 400x280 mm  
B: 300x280 mm



C: 55x25 mm  
D: 210x50mm

## DIMENSIONS











## PRODUCT REFERENCES

### LID AND BODY AVAILABLE COLORS



Lid and Body Standard Colors	Product Reference Without Foot Pedal	Product Reference With Foot Pedal
	011.00109	011.00104
	011.00110	011.00105
	011.00111	011.00106
	011.00112	011.00107
	011.00113	011.00108
	011.00114	011.00103




## DESCRIPTION

- Manufactured from HDPE using the injection moulding method and 100% virgin raw material
- Compatible with EN 840-2-5-6
- Smooth surface for easy cleaning
- Resistant to UV, cold, heat, and chemicals
- Lid opener 270 degree and fixed through two metal pins
- Print area on body and lid
- Ø 200 mm wheels, 2 with breaks
- Smooth-running wheels with breaks
- Designed to accommodate data carriers
- Compatible with standard lifting equipment

## EXTRA OPTIONS

- Foot pedal
- Hot Stamping
- Screen Printing
- Lid in Lid
- Liquid Evacuation System

## LID AND BODY AVAILABLE COLORS




## TECHNICAL FEATURES

Capacity	770l
Length	1380 mm
Lid Length	1223 mm
Base Length	1145 mm
Width	780 mm
Width Between Axis	490mm
Width Between Wheels	625 mm
Height	1270 mm
Height Without Lid	1170 mm
Ø Wheels	200 mm
Weight	41 kg
Load	310 kg


## LOGISTIC DATA

20' DC	65
40' DC	135
40' HC	135
90 cbm Truck	180

## LOGO APPLICATION AREAS









## DIMENSIONS



## PRODUCT REFERENCES

### LID AND BODY AVAILABLE COLORS



Lid and Body Standard Colors	Product Reference Without Foot Pedal	Product Reference With Foot Pedal
	011.00097	011.00091
	011.00098	011.00092
	011.00099	011.00093
	011.00100	011.00094
	011.00101	011.00095
	011.00102	011.00096



## DESCRIPTION

- Manufactured from HDPE using the injection moulding method and 100% virgin raw material
- Compatible with EN 840-2-5-6
- Smooth surface for easy cleaning
- Resistant to UV, cold, heat, and chemicals
- Lid opener 270 degree and fixed through two metal pins
- Print area on body and lid
- Ø 200 mm wheels, 2 with breaks
- Smooth-running wheels with breaks
- Designed to accommodate data carriers
- Compatible with standard lifting equipment

## EXTRA OPTIONS

- Foot pedal
- Hot Stamping
- Screen Printing
- Lid in Lid
- Liquid Evacuation System

## LID AND BODY AVAILABLE COLORS




## TECHNICAL FEATURES

Capacity	1100l
Length	1380 mm
Lid Length	1193 mm
Base Length	1070 mm
Width	1060 mm
Width Between Axis	490 mm
Width Between Wheels	890mm
Height	1280 mm
Height Without Lid	1180 mm
Ø Wheels	200 mm
Weight	48,80 kg
Load	440 kg


## LOGISTIC DATA

20' DC	45
40' DC	90
40' HC	105
90 cbm Truck	156

## LOGO APPLICATION AREAS





A: 400x280 mm  
B: 300x280 mm



C: 55x25 mm  
D: 180x50mm





## DIMENSIONS



## PRODUCT REFERENCES

### LID AND BODY AVAILABLE COLORS



Lid and Body Standard Colors	Product Reference Without Foot Pedal	Product Reference With Foot Pedal
	011.00087	011.00131
	011.00088	011.00084
	011.00089	011.00085
	011.00090	011.00086





## AVAILABLE COLORS



011.00037 011.00158

## TECHNICAL FEATURES

Capacity	21,5l
Length	594 mm
Width	394 mm
Height	131 mm
Stacking	10 mm
Weight	1,18 kg

## LOGISTIC DATA

Euro-pallet	1200X800
20' DC	935
40' DC	2040
40' HC	2280
90 cbm Truck	3300



## DESCRIPTION


- Produced in PP
- Washable and easy to decontaminate
- Perforated box for multiple applications
- Stackable (10mm)

## EXTRA OPTIONS

- Other colors per customer specification

## DIMENSIONS





### AVAILABLE COLORS



011.00034 011.00003

### TECHNICAL FEATURES

Length	1200 mm
Width	800 mm
Height with corners	145 mm
Height without corners	140 mm
Stacking	45 mm
Weight	5,25 kg
Load	2000 kg
Dinamic Load	750kg

### LOGISTIC DATA

20' DC	506
40' DC	1104
40' HC	1248
90 cbm Truck	1650



### DESCRIPTION


- Produced in PP or HDPE
- Washable and easy to decontaminate
- Easiness with boxes loads
- Stackable (46mm)
- Returnable and Reusable

### EXTRA OPTIONS

- With or without corners
- Other colors per customer specification

### DIMENSIONS






### CORES STANDARD



011.00162 011.00163



### AVAILABLE COLORS



011.00160 011.00161

### TECHNICAL FEATURES

Length	1200 mm
Width	1000 mm
Height with corners	146 mm
Height without corners	141 mm
Stacking	46 mm
Weight	7,13kg
Load	2000 kg
Dinamic Load	750kg

### LOGISTIC DATA

20' DC	470
40' DC	987
40' HC	1113
90 cbm Truck	1404



### DESCRIPTION

- Produced in PP or HDPE
- Washable and easy to decontaminate
- Easiness with boxes loads
- Stackable (46mm)
- Returnable and Reusable




### EXTRA OPTIONS

- With or without corners
- Other colors per customer specification

### DIMENSIONS








### CORES STANDARD



011.00162 011.00163





TAP PLACEMENT SYSTEM

SINGLE COLOR  
011.00033

### TECHNICAL FEATURES

Capacity	650l
Length	1200mm
Width	1000mm
Height	785mm
Height Handling with Bars	112mm
Bars Height	50mm
Weight with 2 Bars	41Kg
Load	650kg
Static Charge	2500kg
Stacking Capacity	4000kg

### EXPORT DATA




90 cbm Truck	78
20' DC	20
40' DC	42
40' HC	63

### DESCRIPTION


- Produced in HDPE
- Washable and easy to decontaminate
- Stabilized with antioxidant and UV protection for atmospheric resistance
- Indoor or outdoor use
- Greater stability and resistance
- Suitable for transporting and packaging leaking products
- Non-Toxic
- Suitable for the food industry
- Totally recyclable


### EXTRA OPTIONS

- 4 optional feet, 2 or 3 bars



### DIMENSIONS





TAP PLACEMENT SYSTEM

SINGLE COLOR  
011.00036

### TECHNICAL FEATURES

Capacity	650l
Length	1200mm
Width	1000mm
Height	785mm
Height Handling with Bars	112mm
Bars Height	50mm
Weight with 2 Bars	45kg
Load	650kg
Static Charge	2500kg
Stacking Capacity	4000kg

### EXPORT DATA




90 cbm Truck	78
20' DC	20
40' DC	42
40' HC	63

### DESCRIPTION


- Produced in HDPE
- Washable and easy to decontaminate
- Stabilized with antioxidant and UV protection for atmospheric resistance
- Indoor or outdoor use
- Greater stability and resistance
- Suitable for transporting and packaging leaking products
- Non-Toxic
- Suitable for the food industry
- Totally recyclable

### EXTRA OPTIONS

- 4 optional feet, 2 or 3 bars



### DIMENSIONS









### DESCRIPTION

- Produced in HDPE
- Washable and easy to decontaminate
- Stabilized with antioxidant and UV protection for atmospheric resistance
- Indoor or outdoor use
- Greater stability and resistance
- Suitable for transporting and packaging leaking products
- Non-Toxic
- Suitable for the food industry
- Totally recyclable

### EXTRA OPTIONS

- 4 optional feet, 2 or 3 bars



SINGLE COLOR

011.00039



### TECHNICAL FEATURES

Capacity	690l
Length	1200mm
Width	1000mm
Height	785mm
Height Handling with Bars	110mm
Bars Height	30mm
Weight with 2 Bars	39Kg
Load	500kg
Static Charge	2000kg
Stacking Capacity	5000kg

### EXPORT DATA

90 cbm Truck	78
20' DC	20
40' DC	42
40' HC	63

### DIMENSIONS







## DESCRIPTION

- Produced in PP
- Stable and robust for long life
- Indoor or outdoor usage
- Stackable (50mm)

## EXTRA OPTIONS

- Other colors per customer specification

## DIMENSIONS

### AVAILABLE COLORS



## TECHNICAL FEATURES

Length	361 mm
Width	417 mm
Height	462 mm
Stacking	50 mm
Weight	0,99 kg
Maximum load	120 kg

## LOGISTIC DATA

Euro-pallet	1200X800
20' DC	3366
40' DC	7344
40' HC	8640
90 cbm Truck	8910

